

2178
AF / 102

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Matthias Breuer, Andre Kuemmel
Assignee: Sun Microsystems, Inc.
Title: METHOD AND APPARATUS FOR HANDLING A PLURALITY OF
TEST MODES FOR A COMPUTER GENERATED DOCUMENT
Serial No.: 10/002,215 Filed: November 1, 2001
Examiner: Paula, Cesar B. Group Art Unit: 2178
Docket No.: P-5801

Monterey, CA
August 10, 2005

Honorable Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CLAIM FOR PRIORITY AND
SUBMISSION OF PRIORITY DOCUMENT

Dear Sir:

Enclosed is a certified copy of the European priority application EP 01109921.5 for entry in the above application.

Applicant(s) have claimed the foreign priority filing date of April 24, 2001 on which the enclosed foreign priority application was filed in the EPO.


CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on August 10, 2005.

Respectfully submitted,



Forrest Gunnison
Attorney for Applicant(s)
Reg. No. 32,899
Tel.: (831) 655-0880


Attorney for Applicant(s)

August 10, 2005
Date of Signature

THIS PAGE BLANK (USPTO)



**Europäisches
Patentamt**

**European
Patent Office**

**Office européen
des brevets**

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

01109921.5

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

I.L.C. HATTEN-HECKMAN

THIS PAGE BLANK (USPTO)



Anmeldung Nr:
Application no.: 01109921.5
Demande no:

Anmeldetag:
Date of filing: 24.04.01
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

SUN MICROSYSTEMS, INC.
901 San Antonio Road
Palo Alto,
California 94303
ETATS-UNIS D'AMERIQUE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

Method and apparatus for handling a plurality of test modes for a computer
readable document

In Anspruch genommene Priorität(en) / Priority(ies) claimed /Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

DE/03.11.00/DE 1203924

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

G06F17/60

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

THIS PAGE BLANK (USPTO)

24 April 2001

METHOD AND APPARATUS FOR HANDLING A PLURALITY OF TEST MODES FOR A COMPUTER READABLE DOCUMENT

FIELD OF THE INVENTION

5

The present invention relates to the handling of a plurality of alternative test configurations for a computer readable document like a text document, a spreadsheet document or the like.

10 DESCRIPTION OF THE RELATED ART

Many computer programs allow the creation of documents containing a plurality of depending numbers for different, related configurations of the document. Examples of such programs are tax calculation programs with a fixed set of input and output options or spreadsheet programs which form the basis for implementation of any kind of calculation application. If a user applies such a program for carrying out complex calculations with a large number of related parameters, it is likely that the user at some stage wants to "test" what effect some parameter changes have on the whole calculation. Such programs like tax calculation programs offer a "test" or "what if" mode for this purpose. The user activates the "what if" mode, changes one or a plurality of input parameters, carries out the calculation based on these amended parameters and checks the result of the calculation. If the user closes or exits the "what if" mode, the changed parameters are reset to their initial values. If the user has activated the "what if" mode, it could happen that he wants to test some different parameter values but wishes to return to the current parameter configuration. The user then has only two options. Either he can end the "what if" mode and start over from scratch or he can back up parameter by parameter until he is back at the forking point. The larger the number of test paths, the more complicated the handling for the user becomes.

30

It would therefore be desirable to provide a more user-friendly handling of different test configurations of documents having a large number of parameters dependent on other parameters.

5 SUMMARY OF THE INVENTION

According to the present invention, there is provided a computer-implemented method of processing a document providing a user a plurality of nested test modes for creating, reviewing and retrieving a plurality of different document configurations based on different document data sets, the method comprising activating a first test mode upon user request, automatically storing the starting document data set of the first test mode, changing the document data upon user input of amended data, activating a second test mode upon user request, automatically storing the starting document data set of the second test mode, changing the document data upon user input of amended data, restoring the starting document data set of the second test mode upon leaving the second test mode, and restoring the first document starting data set upon leaving the first test mode.

The invention further provides a computer-implemented method of processing a document providing a user a plurality of nested test modes for creating, reviewing and retrieving a plurality of different document configurations based on different document data sets, the method comprising the steps of activating a first test mode upon user request, automatically storing the starting document data set of the first test mode, changing the document data upon user input of amended data, activating a second test mode upon user request, automatically storing the starting document data set of the second test mode, changing the document data upon user input of amended data, restoring the starting document data set of the second test mode upon leaving the second test mode, and restoring the first document starting data set upon leaving the first test mode.

30

A plurality of nested test modes means that a test mode can be opened while at the same time an earlier test mode is still open. A sequence of multiple derived test modes can therefore be created.

5 The user can thus activate a new test mode at any time even if he is already in a test mode. It is therefore possible to return to any desired document configuration. It is not necessary to know in advance where a test mode should be started. The handling of complex documents with many different properties depending on the value of some parameters is therefore greatly facilitated.

10 The document may be a spreadsheet document containing data arranged in a table, a text document, an internet page or any other type of document. The different configurations of the document may represent different formatting options of the document. With the invention it is then easily possible to test a plurality of
15 different formatting options of e.g. a publishing document, to initiate a test mode at any time a "promising" formatting configuration has been reached and to test further variations based on this configuration.

20 According to a particular embodiment all different data configurations of the document within a test mode are stored and can subsequently be accessed by the user. The user can then "go along" the path of variations he has created within the test mode, for example by operating forward and backward keys.

25 According to a particular embodiment of the invention the different test modes may be represented as a tree structure and displayed on a display screen. The user can then select a desired one of the displayed test modes. A specific tool for navigating to the displayed test modes may be provided. Additionally, it may be possible to further gain access to different configurations within one test mode through the displayed structure of test modes.

30 According to a further specific embodiment the test modes and the corresponding data configurations are stored together with the document on a

memory like a hard disk or a CD- or DVD-Rom. The user can then access the starting configurations of all test modes also when he opens a document at a future working session.

5 A further implementation of the present invention provides a computer system for processing a document providing a user with a plurality of nested or derived test modes for creating, reviewing and retrieving a plurality of different configurations of the document represented by different data sets, the computer system comprising a memory for storing the document data and a processing unit for carrying out
10 opening a document, activating a first test mode upon user request, automatically storing the starting document data set of the first test mode, changing the document data upon user input of amended data, activating a second test mode upon user request, automatically storing the starting document data set of the second test mode, changing the document data upon user input of amended data, restoring the
15 starting document data set of the second test mode upon leaving the second test mode, and restoring the first document starting data set upon leaving the first test mode.

 A still further implementation of the present invention may be realized by a
20 computer program for processing a computer-readable document providing a user with a plurality of nested test modes for creating, reviewing and retrieving a plurality of different configurations of the document represented by different document data sets, said computer program comprising program code for activating a first test mode upon user request, automatically storing the starting document data set of the
25 first test mode, changing the document data upon user input of amended data, activating a second test mode upon user request, automatically storing the starting document data set of the second test mode, changing the document data upon user input of amended data, restoring the starting document data set of the second test mode upon leaving the second test mode, and restoring the first document starting
30 data set upon leaving the first test mode.

A program code may be embodied in any form of computer program product. A computer program product comprises a medium which stores or transports computer-readable code, or in which computer-readable code can be embedded. Some examples of computer program products are CD-ROM or DVD-ROM disks, ROM charts, floppy disks, magnetic tapes, computer hard drives, servers on a network and signals transmitted over the network representing a computer-readable program code.

The above-mentioned and other features, utilities and advantages of the present invention will become more readily apparent from the following detailed description of preferred embodiments thereof in connection with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 schematically illustrates a spreadsheet.

Fig. 2 schematically illustrates the method steps of an embodiment of the present invention.

Fig. 3 schematically illustrates the method steps of a further embodiment of the present invention.

Fig. 4 schematically illustrates a tree representation of different test modes according to an embodiment of the present invention.

Fig. 5 schematically illustrates different formatting versions of a document representing different test modes according to an embodiment of the invention.

Fig. 6 is a schematic illustration of a computer system to which the present invention may be applied.

Fig. 7 is a schematic illustration of a client-server-configuration to which the present invention may also be applied.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

5

Fig. 1 schematically illustrates as an example of a document having a plurality of parameters a spreadsheet document comprising rows 1, 2, 3, ... and columns A, B, C etc. In the example shown in Fig. 1 the cells A1 and B1 comprise parameter values 6 and 10, respectively. The content of the cells C1, D1 and E1 are calculated on the basis of the parameter values A 1 and B 1. In the present example C1 has the value 3, D1 30 and E1 33. If the user wishes to know the end result E1 based on a different set of parameters values A, B, the user may, for example replace value A1 = 6 by A1 =7. If the user then wants to see the result for the combination of parameters A1 = 6 and B1 =12 the values of both cells A1 and B1 have to be changed and the calculation carried out accordingly.

A first embodiment of the invention is now explained with reference to the flowchart of Fig. 2.

20 If a user, after having created or opened a document in method step S 1, wishes to carry out a calculation like the spreadsheet shown in Fig. 1 with some alternative values, he can activate the test mode in step S 2. The data configuration of the document the user presently works on is then stored as the starting data configuration of the test mode. If the test mode is closed, the system automatically returns to this starting data configuration. Therefore, the user can always be sure that he can return to this data configuration irrespective of the amendments he makes in the test mode. The user may then make any changes to the data configuration he wishes in step S 4 and initiate corresponding test calculations. He may come to a point where he likes to "save" a second data configuration while at the same time going on with further alternative data sets. It is then possible, in method step S 5, to activate a further, nested test mode working in the same way as the first test mode. Upon leaving the second test mode, the starting data

configuration of this test mode is restored. The user can, according to this embodiment, open as many test modes as he wishes. If he decides to leave the current test mode (step S 6), then the starting data configuration of the latest test mode is restored in method step S 7. The user can then carry on the work,
5 introducing further parameter amendments or open new test modes. If the test mode which has been opened first is closed, then the starting data configuration of this first test mode is restored.

If, according to the present invention, a test mode is activated upon user
10 request, the computer system first checks which documents are presently opened and on which document (spreadsheet, text document or others) the user presently works on. Then it is checked what parameters have been defined in this document, e.g. which cells of a spreadsheet table contain independent values. In the simple example of Fig. 1, only cells A1 and B1 contain independent parameter values and
15 therefore have to be saved for the test mode. Then the system creates a data set containing all those data necessary to completely define the starting data configuration of the document together with an identifier, for example "test mode 1" which allows assigning the stored data configuration to a particular test mode.

20 If the computer program for processing the document the user is presently working on comprises a so-called "undo" function which allows the immediate correction of the latest user action, the present invention may be implemented using this "undo" function as follows. The "undo" function creates a stack of "old" versions of the document. Instead of storing the document data configuration upon initiating
25 the test mode, the pointer to the corresponding data configuration of the document in the "undo" stack is provided. It is also possible to use the versions of the document which have already been saved in connection with the "undo" function and therefore to save memory space. In addition, the present invention can be implemented quite easily in case such "undo" function exists.

30 When the user inputs a command to leave a test mode by pressing a corresponding key or clicking on a corresponding key area on the screen, the

system checks which test mode is closed (for example test mode 3), retrieves the corresponding starting data configuration and changes all independent and dependent parameters of the document to the values based on this starting data configuration. When leaving the test mode, the user therefore has the same document with the same parameter values as when entering this particular test mode. If new dependent values have been created during the test mode, however, these new dependent values are not removed upon closing the test mode but updated based on the original independent parameter values.

10 The flowchart of Fig. 3 illustrates a further embodiment of the present invention. After creating or opening a document in method step S 11, a first test mode is activated upon user command in method step S 12. As in the first embodiment, the starting data configuration is subsequently stored in method step S 13. The user can then enter parameter changes and carry out corresponding calculations in step S 14 and/or activate further test modes in step S 15.

With this embodiment, it is also possible to display on a display screen the test modes which have already been created for the document on which the user currently works. This display may be in the form of a tree structure as illustrated in Fig. 4. For complex documents like tax calculations or the like it may be useful to use a large number of nested test modes in order to carry out tax calculations for a large number of different parameter variations. For these cases, the display of the different test modes in a tree structure as illustrated in Fig. 4 allows a user to get an overview of the different test modes. The tree structure represents the parameter variations of the different test modes. Test mode 1 and test mode 2 correspond to different values of the same parameter. Test modes 1.1 and test mode 1.2 implement variations of a second parameter and test modes 1.2.1 and 1.2.2 different values of a third parameter etc.

30 According to a particular embodiment of the present invention, a navigation tool may be provided for the user to navigate, for example by movement of a mouse device or the like, between the different test modes. The navigating tool may

comprise a unit for detecting the current mouse position, a unit directing the cursor following the mouse position, a unit for detecting the cursor position on the displayed tree structure of test modes. If the cursor position is on one of the test modes, an additional table may be displayed showing the parameter values corresponding to this test mode. Similar navigation tools are used in many different types of computer programs.

Using this displayed tree structure and a corresponding navigation tool, the user may then select a particular one of the test modes of the document (step S 18 in Fig. 3). In contrast to the embodiment explained with reference to Fig. 2, it is therefore possible to change arbitrarily between all the test modes which so far have been created. After selection of a particular test mode, the starting data configuration of this mode is restored in step S 19 and the user can go on working based on this parameter set. When the user leaves the test mode, the starting data set is restored in method step S 22. The embodiment of Fig. 3 is therefore particularly useful for complex documents where a large number of test modes involving many different parameters are created.

According to a further embodiment, it is possible to automatically store not only the starting data configuration but every data configuration of the document the user creates within a test mode. The user can then track the test calculations he has made in forward in backward direction.

According to a still further embodiment it is possible to store the data configurations of the test modes together with the document in a permanent storage device.

The present invention is not only applicable to documents involving complex calculations like spreadsheet documents. The test modes may for example be also applied to different formatting variations of a document. The user can so try out different formatting options including character fonts, graphics, paragraphs etc., save promising versions as test modes or test documents and try out further

improvements based on these test documents. The different test documents may be displayed as shown in Fig. 5. The test documents are represented as tree structure including an area in which indications of the selected format like character font or paragraph layout are displayed. Alternatively, it is also possible to display a test page of the document when the cursor touches a document area. It is so possible for the user to easily review the different formatting options of the document.

The present invention is applicable to a hardware configuration like a personal computer or a work station as illustrated schematically in Fig. 6. The computer may comprise a central processing unit CPU 26, an input output I/O unit 21, an internal memory 22 and an external memory 24. The computer may further comprise standard input devices like a keyboard 23, a mouse 28 or a speech processing means (not illustrated).

The invention, however, may also be applied to a client-server configuration as illustrated in Fig. 7. The document may be displayed on a display screen of a client device 60 while some or all steps of the method as illustrated before in connection with Figs. 2 and 3 are carried out on a server computer accessible by a client device over a data network as the internet using a browser application or the like.

While the invention has been shown with reference to particular embodiments thereof, it will be understood by those skilled in the art that various other changes in the form and details may be made therein without departing from the spirit and scope of the invention.

24. April 2001

Claims

1. A computer-implemented method of processing a document providing a user a plurality of nested test modes for creating, reviewing and retrieving a plurality of different document configurations based on different document data sets, the method comprising:
 - activating a first test mode upon user request,
 - automatically storing the starting document data set of the first test mode,
 - changing the document data upon user input of amended data,
 - activating a second test mode upon user request,
 - automatically storing the starting document data set of the second test mode,
 - changing the document data upon user input of amended data,
 - restoring the starting document data set of the second test mode upon leaving the second test mode, and
 - restoring the first document starting data set upon leaving the first test mode.
2. The method of claim 1, wherein more than two nested test modes are available.
3. The method of claim 1 or 2, wherein said document is a spreadsheet document.
4. The method of claim 1 or 2, wherein the different document data sets correspond to different formatting options of a document.
5. The method of one of claims 1 to 4, wherein all document data set configurations within a test mode are stored and accessible upon user request.
6. The method of claim 5, further comprising recognizing and storing the order of creation of different document data set configurations within a test mode.

7. The method of claim 6, enabling the user to move forward and backward between different stored document data set configurations within a test mode.

8. The method of one of claims 5 to 7, comprising arranging stored document data set configurations as a tree structure.

9. The method of claim 8, comprising displaying the tree structure on a display medium and enabling the user to select particular document data set configurations represented by the tree structure using a graphical user interface.

10. The method of claim 8 or 9, comprising assigning an identification name or number to the branching points of the tree structure, wherein every branching point represents a document data structure configuration.

11. The method of one of claims 8 to 10, comprising providing the user a navigation tool for jumping between different branching points of the tree structure.

12. The method of one of claims 1 to 11, comprising storing the document data set configuration on a storage medium together with the document itself.

13. The method of one of claims 1 to 12, allowing selection of different storing options.

14. A computer system for processing a document providing a user with a plurality of nested test modes for creating, reviewing and retrieving a plurality of different configurations of the document represented by different data sets, the computer system comprising a memory (22) for storing the document data and a processing unit (26) for carrying out the steps of:

- opening a document
- activating a first test mode upon user request,
- automatically storing the starting document data set of the first test mode,
- changing the document data upon user input of amended data,

- activating a second test mode upon user request,
- automatically storing the starting document data set of the second test mode,
- changing the document data upon user input of amended data,
- restoring the starting document data set of the second test mode upon leaving the
- 5 second test mode, and
- restoring the first document starting data set upon leaving the first test mode.

15. The computer system of claim 14, wherein more than two nested test modes are available.

10

16. The computer system of claim 14 or 15, wherein said document is a spreadsheet document.

17. The computer system of claim 14 or 15, wherein the different document data

15 sets correspond to different formatting options of a document.

18. The computer system of one of claims 14 to 17, wherein all document data set configurations of a test mode are stored and accessible upon user request.

20 19. The computer system of claim 18, further comprising recognizing and storing the order of creation of different document data set configurations within a test mode.

25 20. The computer system of claim 19, enabling the user to move forward and backward between different stored document data set configurations within a test mode.

21. The computer system of one of claims 18 to 20, comprising arranging stored document data set configurations as a tree structure.

30

22. The computer system of claim 21, comprising a display means for displaying the tree structure and enabling the user to select particular document data set configurations represented by the tree structure using a graphical user interface.

5 23. The computer system of claim 21 or 22, comprising assigning an identification name or number to the branching points of the tree structure, wherein every branching point represents a document data structure configuration.

10 24. The computer system of one of claims 21 to 23, comprising providing a navigation tool for jumping between different branching points of the tree structure.

25. The computer system of one claims 14 to 24, comprising a permanent storage medium for storing the document data set configuration information together with the document itself.

15

26. The computer system of one of claims 14 to 25, allowing selection of different storing options.

20 27. A computer program product for processing a computer-readable document providing a user a plurality of nested test modes for creating, reviewing and retrieving a plurality of different configurations of the document represented by different document data sets, said computer program comprising program code for:

- activating a first test mode upon user request,
- automatically storing the starting document data set of the first test mode,
- 25 - changing the document data upon user input of amended data,
- activating a second test mode upon user request,
- automatically storing the starting document data set of the second test mode,
- changing the document data upon user input of amended data,
- restoring the starting document data set of the second test mode upon leaving the
- 30 second test mode, and
- restoring the first document starting data set upon leaving the first test mode.

28. A computer program comprising program code for carrying out the method of any one of claims 1 to 13.

THIS PAGE BLANK (USPTO)

24. April 2001

Abstract


5 A computer-implemented method of processing a document provides a user
with a plurality of nested test modes for creating, reviewing and retrieving a plurality
of different document configurations represented by different document data sets.
The nested test modes are activated upon user request and a starting data set of
the document is stored on a memory and restored after leaving the test mode. By
nesting a plurality of test modes, the user can create a plurality of different
configurations of a document and easily retrieve the data of every one of these
10 configurations.

THIS PAGE BLANK (USPTO)

EPO - Munich
34
24. April 2001

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522

P5801

**Fig. 2**

3/7




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

THIS PAGE BLANK (USPTO)